

# TECHNICAL SPECIFICATION

## OUTDOOR GARDEN

### ERIK



### Technical data

<b>Nominal voltage:</b>	220AC
<b>Protection against dust and moisture:</b>	IP44
<b>Lampholder:</b>	E27
<b>Body:</b>	Aluminium with glass
<b>Colour of the housing:</b>	Antique brass
	Matt black

## Areas of application

- Exterior garden lighting


## Product benefits

- Instant light at maximum luminous flux
- Suitable for outdoor garden mounting
- Aluminium and glass body
- Environmentally friendly - no mercury and lead
- No ultraviolet and infrared rays
- Resistant to shock and vibration stable body
- Voltage supply fluctuations do not affect the normal operation of the floodlights

## Dimensions

Model	Colour body	Lampholder	Size			Catalogue number	Packi ng (pcs)
			Width	Length	Height		
<b>96101WU/A B</b>	Antique brass	E27	155	170	325	96101WU/AB	1
<b>96102WD/A B</b>	Antique brass	E27	155	170	285	96102WD/AB	1
<b>96103P/AB</b>	Antique brass	E27	155	-	300	96103P/AB	1
<b>96104MF/A B</b>	Antique brass	E27	155	-	370	96104MF/AB	1
<b>96105F/AB</b>	Antique brass	E27	155	-	775	96105F/AB	1
<b>96101WU/B K</b>	Matt black	E27	155	175	325	96101WU/BK	1
<b>96102WD/B K</b>	Matt black	E27	155	175	285	96102WD/BK	1
<b>96103P/BK</b>	Matt black	E27	155	175	300	96103P/BK	1
<b>96104MF/BK</b>	Matt black	E27	155	-	370	96104MF/BK	1
<b>96105F/BK</b>	Matt black	E27	155	-	775	96105F/BK	1

## Energy efficiency



## Standards

EN 55015

EN 61000-3-2

EN 61000-3-3

EN 61547

EN 60598-1, EN 60598-2-3

